United States Environmental Protection Agency Office of Radiation Programs Eastern Environmental Radiation Facility P.O. Box 3009 Montgomery, AL 36193 EPA 520/1-83-007 June 1983


SEPA

Radiation

Potential Health and Environmental Hazards of Uranium Mine Wastes

Apper dixes

Report To The Congress Of The United States



Volume 3 of 3 Volumes

POTENTIAL HEALTH AND ENVIRONMENTAL HAZARDS OF URANIUM MINE WASTES

Appendixes

A Report to the Congress of the United States in Response to Public Law 95-604

June 10, 1983

U.S Environmental Protection Agency Office of Radiation Programs Washington, D.C. 20460

CONTENTS

Appendixes

- A. Summary of Federal Laws Potentially Affecting Uranium Mining
- B. Federal Water Programs and Rights Activities
- C. Congressionally Approved Compacts that Apportion Water
- D. State Laws, Regulations, and Guides for Uranium Mining
- E. Active Uranium Mines in the United States
- F. Inactive Uranium Mines in the United States
- G. General Observations of Uranium Mine Sites in Colorado, New Mexico, Téxas, and Wyoming
- H. Influence of Mine Drainage on Seepage to Groundwater and Surface Water Outflow
- I. Computation of Mass Emission Factors for Wind Erosion
- J. Aquatic Dosimetry and Health Effects Models and Parameter Values
- K. Airborne Pathway Modeling
- L. Health Risk Assessment Methodology

FIGURES

Appen	dix G	Page
G.1	Plan view of inactive underground uranium mine No. 1, related waste rock piles, and surface gamma exposure rates, Uravan	.
G.2	Mineral Belt, Colorado	G-3
G. 3	Uravan Mineral Belt, Colorado	G-4
4.3	related waste rock piles, and surface gamma exposure rates, Uravan Mineral Belt, Colorado	G-6
G.4	Sectional view of inactive underground uranium mine No. 4, related waste rock piles, and surface gamma exposure rates,	u-v
G. 5	Uravan Mineral Belt, Colorado	G-7
4.5	related waste rock piles, and surface gamma exposure rates, Uravan Mineral Belt, Colorado	G-8
G.6	Plan view of inactive underground uranium mine No. 6, related waste rock piles, and surface gamma exposure rates,	
G. 7	Uravan Mineral Belt, Colorado	G-9
	related waste rock piles, and surface gamma exposure rates, Central City District, Colorado	G-11
G.8	Plan view of inactive underground uranium mine No. 8, related waste rock piles, and surface gamma exposure rates,	
G.9	Central City District, Cólorado	G-12
	related waste rock piles, and surface gamma exposure rates, near Jamestown, Colorado	G-13
G.10	Plan view of inactive underground uranium mine No. 10, related waste rock piles, and surface gamma exposure rates, Central	
	City District, Colorado	G-15

	•	Page
G.11	Tunical mine waste mile associated with a small to medium-	
4.11	Typical mine waste pile associated with a small- to medium-	
	sized inactive underground uranium mine, Uravan Mineral	c 16
	Belt, Colorado	G-16
G.12	Side view of typical underground uranium mine located on	0.16
	the rim of a sandstone mesa, Uravan Mineral Belt, Colorado	G-16
G.13	Mine waste accumulations near the portal of a typical	
	underground rim-type uranium mine, western Colorado .	G~17
G.14	Mine waste dump associated with a typical rim-type	
	underground uranium mine, western Colorado	G-17
G.15	Movement of fluorspar-uranium mine wastes from a tailings	
	pile into a stream, Jamestown area, Colorado	G-19
G.16	1972 aerial photograph of the Galen and Pawelek open pit	
	mines, Karnes County, Texas	G-27
G.17	1978 aerial photograph of the Galen and Pawelek open pit	
	mines, Karnes County, Texas	G-27
G.18	Results of gamma exposure rate survey at the 1601 pit and	
	environs, Morton Ranch uranium mine, Converse County,	
	Wyoming	G-31
G.19	Location of sampling stations at the Morton Ranch mine,	
	South Powder River Basin, Wyoming	G-33
G.20	Sample locations for radionuclides and select trace metals	, 5 00
4.20	in sediments, San Mateo mine, New Mexico	G-34
	in sediments, san riaceo mine, new riexico	u-54
, Annondi	i. u	
Append	IX n	
		2
H.1	Wyoming model area sub-basin drainage system	H-3
H.2	Model area stream cross section	H-3
н. 3	New Mexico model area sub-basin drainage system	H-9
		•
Append	īx J	
	•	
J.1	Surface stream flow pattern within drainage area .	J-3
J.2	Conservation of mass relationship for resuspension model	J-13

TABLES

Append	lix A	Page
F. A	Federal laws, regulations, and guides for uranium mining	A-1
Append	lix D	
p. 1	State laws, regulations, and guides for uranium mining	D-1
Append	lix E	
E.1	Active uranium mines in the United States	E-1
Append	lix F	
F.1	Inactive uranium mines in the United States	F-1
Append	lix G	
G.1	Uravan and Jamestown areas	G-14
G.2	Inactive uranium mine sites surveyed in New Mexico	G-21
G.3	Status and location of uranium mines in Texas	G-25
G.4	Trace elements and radionuclides in water in the south	
	fork of Box Creek drainage at UNC Morton Ranch lease .	G-35
G.5	Radionuclides and trace metals in sediments in the south	
	fork of Box Creek at UNC Morton Ranch lease	G-36
G.6	Radionuclides and trace metals in soils near the 1601	
	open pit mine, UNC Morton Ranch lease, Wyoming	G-37
G.7	Radionucíides and trace metals in soil profiles at the	
	open pit mines, UNC Morton Ranch lease, Wyoming	G-38
G.8	Radionuclides and trace metals in sediments from the	
	drainage of the San Mateo mine and from San Mateo Creek,	
	New Mexico	G-40
G.9	Radium-226 and trace elements in water from San Mateo Creek	
	near San Mateo mine discharge point	G-40

Append	lix H	Page
н. 1	Characteristics of the sub-basin containing the model	
	mines	H-2
H.2	Seepage and outflow calculations for the Wyoming model mine drainage system	H-6
H.3	Characteristics of the sub-basin hydrographic unit in the	л-0
11.3	model underground uranium mine area	H-8
H.4	Seepage and outflow calculations for the New Mexico	0
,,,- ,	model mine area drainage system	H-11
Append	lix J	
		•
J.1	Aquatic environmental transport pathways examined	J-6
J.2	Characteristics of the generic sites	J-20
J.3	Stream data for Valencia County	J-23
J.4	Estimation of meat production in Valencia County for	
	1977	J-25
J.5	Estimates of meat production in Converse County, Wyoming	
	for 1976	J-26
J.6	Annual radionuclide release rates to streams for active	
	uranium mines	J-29
J.7	Freshwater fish concentration factors	J-29
J.8	Normalized human intake rate factors for radionuclide	
,	uptake via plant root systems	J-31
J.9	Irrigated land usage	J-31
J.10	Soil removal rate constants and radioactive decay	
	constants	J-33
J.11	Milk and beef concentration factors	J-33
J.12	Dose equivalent conversion factors	J-36
J.13	Health effects conversion factors for internal pathways .	 J-37
J.14	Health effects conversion factors for external pathways .	J-37
Append	ix K	
K.1	Characteristics of the generic sites	K-1

The state of the s

			Pay
K.2	Animal and vegetable crop distribution for use with		
	AIRDOS-EPA	•	K-3
K.3	Sources of food for the maximum individual (percent)	•	K-4
K.4	Selected input parameters to AIRDOS-EPA	•	K-5
K.5	Selected terrestrial pathway parameters by radionuclide	•	K-7
K.6	Effective radioactive decay constants	•	K-8
Apper	ndix L		
L.1	Radionuclide dose rate and health effect risk conversion		
	factors used in uranium mine assessments		L-4
L.2	Additional input data used by DARTAB in the health impact		
	assessment of airborne emissions		L-21
L.3	Example input data file for DARTAB		L-22
L.4	Maximum individual fatal cancer risk for one year of		
	exposure to atmospheric radioactive emissions from model		
	uranium mines	•	L-23
L.5	Fatal cancer risk to an average individual in the regiona	1	
	population for one year of exposure to atmospheric		
	radioactive emissions from model uranium mines .		L-24
L.6	Fatal cancer risk to the population for one year of		
	exposure to atmospheric radioactive emissions from model		
	uranium mines	•	L-25
L.7	Genetic effect risk to descendants of maximum exposed		
	individual for one year of parental exposure to atmospher	ic	
	radioactive particulate and Rn-222 emissions from model		
	uranium mines		L-26
L.8	Genetic effect risk to descendants of average individual		
	of the population for one year of parental exposure to		
	atmospheric radioactive particulate and Rn-222 emissions		
	from model uranium mines		127

Рa	ge
----	----

L.9	Genetic effect risk to descendants of the regional	
	population for one year of parental exposure to atmospheric	
	radioactive particulates and Rn-222 emissions from model	
	uranium mines L-2	28